

CAN-VET  
ANIMAL HEALTH SUPPLIES LTD.

BUGWACKER TALL INSECTICIDE

READY TO USE PRESSURIZED SPRAY

COMMERCIAL

A concentrated insecticide for use in Hospitals, Food Processing Plants, Restaurants, Hotels and other Commercial and Industrial Buildings, to kill flying insects and crawling insects.

For use in Milk Parlours and Milk Houses. Also for use on Beef and Dairy Cattle to kill flying insects.

SHAKE WELL BEFORE USING

GUARANTEE:

Pyrethrins.....0.50%  
Piperonyl Butoxide.....4.00%

REGISTRATION NO. 23433  
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

EXTREMELY FLAMMABLE

EXPLOSIVE

CAN-VET Animal Health Supplies Ltd.  
292 Elgin St. N #3, Cambridge, Ontario N1R 7H9

NET CONTENTS 600g / CONTENU NET 600g

**DIRECTIONS:** Hold can upright while spraying

**FLYING INSECTS:** Flies, Mosquitoes, Wasps, Gnats and Flying Moths. Close doors and windows. Apply a 6-10 second burst per 30m<sup>3</sup> of space. Direct mist upwards in sweeping motion to all parts of the room, especially windows and other light sources. Also direct mist into areas where insects are present, insects must be contacted to be killed. Keep spray at least 1m from interior walls, fabrics and furniture. Keep doors and windows closed for 15 minutes after each treatment. Ensure proper ventilation after sealed areas have been treated and clean up dead insects. Spray only when temperature is under 32°C .

**CRAWLING INSECTS:** Cockroaches, spiders, crickets, ants, carpet beetles, centipedes and silver fish. Spray hiding places such as base boards, moist area, openings around sinks, drains and pipes, behind cabinets and storage areas. Spray ant trails, around door sills, window frames, or in ant nests. Insects must be hit with spray to be killed.

**BED BUGS:** Spray mattress, particularly around seams and tufts. Take bed apart, spray all joints. Repeat as required. Also spray cracks, crevices, baseboards and other possible hiding places around the room.

**FLEAS:** Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. Remove old bedding and replace with fresh, clean bedding after treatment. Insects must be contacted to be killed. Do not treat pets with this product.

**SPACE SPRAY:** Kills insects in Milking Parlours and Milking Rooms. Direct Spray upwards to all parts of the room especially windows and other light sources. Apply at a rate of 6 to 10 seconds per 30m<sup>3</sup>. Remove all animals from treatment area before using as a space spray. For best results, close all doors and windows during treatment and keep room closed for 15 minutes before ventilating. Ventilate treated area for at least 30 minutes before animal re-entry. Insects must be contacted to be killed. Sweep up dead insects. Repeat as necessary with additional spraying of breeding areas. Spray only when temperature is under 32°C.

**LIVESTOCK SPRAY:** To treat Beef and Dairy Cattle against attacks of houseflies, stable flies and horn flies, spray animals once daily with a fine mist. Apply at a rate of 6 to 8 seconds per animal. Spray should be enough to wet ends of hair only. Do not wet the hair or skin. Take care not to spray in the animal's eyes or mouth. Treat dairy cattle at least 20 minutes before milking. Do not spray directly on udder. Wash udders before milking. Do not use more often than once a day. Do not contaminate feed or water troughs. Do not spray over milk or milking equipment.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas. Ensure proper ventilation after sealed areas have been treated. Cover milk and milking utensils to prevent contamination from spray and dead insects. (Any treated surfaces that may contact food and feed products should be washed thoroughly with potable water after spraying and before re-use). Avoid contact with skin and eyes. Wash after using. **CONTENTS UNDER PRESSURE:** Do not place in hot water or near radiators, stove or other sources of heat. Do not puncture or incinerate can or store at temperatures over 50°C. Do not spray into or near any open flame or spark. In hospitals do not use in nurseries or rooms where infants, ill or aged persons are confined.

In food processing plants and food service establishments, apply only when plant is not in operation. Remove all food before treatment. Cover all food processing surfaces and thoroughly clean with potable water before resuming.

Not for use on humans. Avoid inhalation of spray.

**FIRST AID:** If sprayed in eyes or on skin, flush with clean water. If irritation persists, obtain medical attention. If accidentally swallowed, obtain medical attention at once, or contact Poison Control Center. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the manufacturer.

NOTICE TO USER: This Control Product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.